



MATERIAL	Brass Glass	FIXING BRACKE
HEIGHT	26 cm 10.24"	
WIDTH DIAMETER	19.5 cm 7.68"	
LENGTH PROJECTION	15 cm 5.91"	
WEIGHT	2.9kg 6.39lb	
LAMPHOLDER	LED	
MAX WATTAGE	3W	
VOLTAGE	220/240v	
IP RATING	IP65	
CLASS PROTECTION	2	
SHADE	n/a	
FLEX BAR CHAIN LENGT	n/a	
CABLE TYPE		



Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.





MATERIAL	Brass Glass	FIXING BRACKE
HEIGHT	26 cm 10.24"	
WIDTH DIAMETER	19.5 cm 7.68"	
LENGTH PROJECTION	15 cm 5.91"	
WEIGHT	2.9kg 6.39lb	
LAMPHOLDER	LED	
MAX WATTAGE	3W	
VOLTAGE	220/240v	
IP RATING	IP65	
CLASS PROTECTION	2	
SHADE	n/a	
FLEX BAR CHAIN LENGT	n/a	
CABLE TYPE		



Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.





MATERIAL	Brass Glass	FIXING BRACKE
HEIGHT	26 cm 10.24"	
WIDTH DIAMETER	19.5 cm 7.68"	
LENGTH PROJECTION	15 cm 5.91"	
WEIGHT	2.9kg 6.39lb	
LAMPHOLDER	LED	
MAX WATTAGE	3W	
VOLTAGE	220/240v	
IP RATING	IP65	
CLASS PROTECTION	2	
SHADE	n/a	
FLEX BAR CHAIN LENGT	n/a	
CABLE TYPE		



Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

